



名 稱	針劑配伍溶液的建議與禁忌	頁數/ 總頁數	5
		制定/ 修訂日期	96.5.30 制定 114.2.25 修訂

項次	藥物	避免添加之藥物	建議可添加之溶液
1	Adenosine (Adenocor 6mg/2mL)	無資料	D5RL, D5W, RL, NaCl 0.9%
2	Amphotericin B (Fungizone 50mg)	Amikacin, aztreonam, Ca. gluconate, cefepime, cefpirome, cimetidine, diphenhydramine, dopamine, filgrastime, gentamicin, lidocaine, MgSO ₄ , meropenem, penicillin G sodium, piperacillin sod-tazobactam sod, KCL, prochlorperazine, propofol, ranitidine	D5W, D10W,
3	Amiodarone (Cordarone 150mg/3mL)	Aminophylline, heparin, NaHCO ₃	D5W
4	Albumin 50mL 25%	Midazolam, vancomycin	NaCl 0.45&0.9%, R, RL, D5W, D10W
5	Amikacin inj 500mg/2mL	Amphotericin B, ampicillin, cefazolin, heparin, hetastarch, phenytoin, propofol, vitamin B complex with C	D5W, D10W, NaCl 0.45 & 0.9%, D5R, D5RL, R, RL
6	Atracurium (Tracrium 25mg/2.5mL)	Aminophylline, cefazolin, diazepam, heparin, nitroprusside, propofol, ranitidine	D5W, D5NaCl 0.9%, NaCl 0.9%
7	Brosym 2g (Cefoperazone 1g-Sulbactam 1g)	Lasix	NaCl 0.9% , D5W, 靜脈給藥時請勿使用注射用水。
8	Calcium gluconate 10%	AmphotericinB, dobutamine, fluconazole, indomethacin, methylprednisolone, metoclopramide	D5RL, D5NaCl 0.9%, D5W, D10W, RL, NaCl 0.9%

臨床藥學

9	Cefa 1g (Cefazolin)	Amikacin, ascorbic acid, atracurium, cimetidine, lidocaine, ranitidine, vitamin B complex with C	D5RL, D5NaCl 0.9, 0.45 & 0.9%, D5W, R, RL, NaCl 0.9%
10	Ciprofloxacin (Ciproxin 200mg/100mL)	Aminophylline, ampicillin-sulbactam, amoxicillin, cefepime, clindamycin, dexamethasone, furosemide, heparin, hydrocortisone, methylprednisolone, phenytoin, propofol, warfarin	D5W, D10W, NaCl 0.9%, R, RL
11	Colistin (polymyxin E) (Colimycin 66.8mg/2mU)	Minocycline hydrochloride	NS, D5W, 0.45% G/S, 0.9% G/S, LR
12	Dexamethasone (Methasone inj 5mg)	Ciprofloxacin, midazolam, vancomycin	D5W, NaCl 0.9%
13	Dupin; Valium 10mg/2mL (Diazepam)	Atracurium, cefepime, diltiazem, furosemide, fluconazole, heparin, meropenem, pancuronium bromide, KCl, propofol, vecuronium bromide, vitamin B complex with C	無；但下列溶液於某些狀況下可使用 D5W, R, NaCl 0.9%
14	Digoxin (Lanoxin 0.5mg/2cc)	Dobutamine, fluconazole, propofol	D5W, RL, NaCl 0.45&0.9%
15	Dobutamine (Gendobu 12.5mg/mL)	Acyclovir, aminophylline, cefepime, calcium gluconate, diazepam, digoxin, furosemide, MgSO ₄ , phenytoin, phytonadione, piperacillin sod.-tazobactam sod., potassium phosphates, RI, Sod. Bicarbonate, warfarin	D5RL, D5NaCl 0.45&0.9%, D5W, RL, NaCl 0.45&0.9%
16	Dopamine 200mg/5mL	Acyclovir, amphotericin B, ampicillin, cefepime, RI	D5RL, D5NaCl 0.45&0.9%, D5W, D10W, RL, NaCl 0.9%
17	Dormicum 5mg/1mL (Midazolam)	Albumin, ampicillin, ceftazidime, dexamethasone, furosemide, hydrocortisone, imipenem-cilastatin, omeprazole, prochlorperazine, ranitidine, sod. Bicarbonate, trimethoprim-sulfamethoxazole	D5NaCl 0.9%, D5W, NaCl 0.9%

臨床藥學

18	Epinephrine (Epinephrine inj 1mg)	Aminophylline, ampicillin, lidocaine, sod. bicarbonate	D5R, D5RL, D5NaCl 0.9%, D5W, R, RL, NaCl 0.9%
19	Fentanyl	無資料	D5W,NaCL0.9%
20	Gentamicin 80mg/2mL	Amphotericin B,ampicillin,cefepime, furosemide, heparin, hetastarch,indomethacin, propofol, ticarcillin, warfarin	D5W, D10W,R,RL, NaCL 0.9%
21	Heparin (Agglutex 5000IU/ml)	Amiodarone, amikacin, atracurium, ciprofloxacin, diazepam, erythromycin, lactobinate, filgrastim, gentamicin, haloperidol, meperidine, morphine, netilmicin, nicardipine, phenytoin, tobramycin, vancomycin, warfarin	D5NaCl 0.45&0.9%, D5W, NaCl 0.45&0.9%, D5RL, R
22	Imipenem500mg Cilastatin500mg (Tienam)	Fluconazole, lorazepam, meperidine, midazolam, Sod.Bicarbonate	D5NaCL0.2, 0.45&0.9%, RL,D5W,NaCL0.9%
23	Insulin	Aminophylline, dopamine, dobutamine, norepinephrine, henobarbital,phenytoin, ranitidine	NaCL 0.9%
24	Ketorolac (Keto 30mg/mL)	Haloperidol, prochlorperazine	D5NaCl 0.9%, D5W, R, RL, NaCl 0.9%
25	Labetalol (Trandate 25mg/5mL)	Cefoperazone, ceftriaxone, warfarin	D5R, D5RL, D5W, R, RL, NaCl 0.9%
26	Lasix20mg/2 mL(Furosemide)	Ciprofloxacin, diazepam, diltiazem, esmolol, filgrastim, fluconazole, hydralazine, isoproterenol, metoclopramide, midazolam, netilmicin, nicardipine, ondansetron, prochlorperazine, vecuronium	D5RL,D5NaCL 0.9%,D5W,RL, NaCL0.9%
27	Magnesium sulfate MgSO ₄	Amphotericin B, cefepime, cyclosporine, Sod.bicarbonate	D5W, RL, NaCl 0.9%
28	Mepenem 500mg (Meropenem)	Amphotericin B, diazepam, metronidazole, multivitamins	NaCl 0.9%, R, RL, D5W

臨床藥學

29	Metoclopramide (primperan 10mg/2mL)	Ampicillin, Ca.Gluconate, cefepime, erythromycin lactobionate, furosemide, propofol, Sod.bicarbonate	D5NaCl 0.45%, D5W, R, RL, NaCl 0.9%
30	Norepinephrine 4mg/4ml (Norepinephrine inj)	Aminophylline, RI, lidocaine, Phenobarbital, phenytoin, sod.Bicarbonate, whole blood	D5NaCl 0.9% , D5W, RL, NaCl 0.9%
31	Oxocin 10IU/ml	Oxytocin	D5W, NaCl 0.9%
32	Phytomenadione=Vit k1 (Phytonadione inj 10mg)	Dobutamine, ranitidine	D5W, D10W, R, RL, NaCl 0.45&0.9%
33	Potassium chloride (KCl 15% 5mL)	Amphotericin B, diazepam, phenytoin	D5R, D5RL, D5NaCl, D5W, D10W, R, RL, NaCl 0.45&0.9%
34	Novamin5mg/1mL (Prochlorperazine)	Aminophylline, amphotericin B , ampicillin, aztreonam, cefepime, filgrastim, furosemide, hydrocortisone, ketorolac, midazolam, penicillin G sodium, Phenobarbital, piperacillin sod.-tazobactam sod	D5R, D5RL, D5NaCl 0.2, 0.45&0.9%, D5W, R, RL, NaCl 0.45&0.9%
35	Propofol (Propofol-lipuro 1%)	Amikacin, amphotericin B, atracurium, ciprofloxacin, diazepam, digoxin, gentamicin, methotrexate, methylprednisolone, metoclopramide, netilmicin, phenytoin, tobramycin	D5RL, D5NaCl 0.2&0.45%, D5W, RL
36	Rocephin ;Sintrix inj. 1gm (Ceftriaxone)	Aminophylline, clidamycin, filgrastim, fluconazole, labetalol, vancomycin	D5W, D10W, RL, NaCl 0.9%
37	Sod. Bicarbonate NaHCO ₃ 7% 20mL	Amiodarone, Vit C, dobutamine, dopamine, epinephrine, imipenem-cilastatin, isoproterenol, labetalol, midazolam, MgSO ₄ , morphine, metoclopramide, meropenem, norepinephrine, ondansetron, succinylcholine, ticarcillin disod-	D5R, D5NaCl 0.2, 0.45&0.9%, D5W, NaCl 0.45&0.9%

臨床藥學

		clavulanate pot.	
38	Solu-cortef 100mg (Hydrocortisone)	Ciprofloxacin, diazepam, midazolam, Phenobarbital, phenytoin, prochlorperazine	D5R, D5RL, D5NaCl 0.2, 0.45 & 0.9%, R, RL, NaCl 0.45% & 0.9%
39	Subacillin 1.5g (Ampicillin sod 1000mg-Sulbactam 500mg)	Ciproxin, ondansetron	NaCl 0.9% , D5W, (2-4 小時)
40	Vancomycin 500mg	Albumin, cefepime, ceftazidime, dexamethasone, heparin, omeprazole, Phenobarbital, phenytoin, piperacillin sod.-tazobactam sod. , ticarcillin disod. clavulanate pot., vitamin B complex with C	D5RL, D5NaCl 0.9%, D5W, RL, NaCl 0.9%
41	Vasopressin (Pitressin 200mg/1mL)	無資料	D5W, NaCl 0.9%
42	Xylocaine inj. 5ml 2%	Cefazolin, epinephrine, isoproterenol, norepinephrine, phenytoin	D5RL, D5NaCl 0.45% & 0.9%, D5W, RL, NaCl 0.45% & 0.9%

添加之溶液縮寫說明：

D5R：Dextrose 5% in Ringer's injection;

D5RL：Dextrose 5% in Ringer's injection , lactated;

D5NaCl 0.2, 0.45 & 0.9%：Dextrose 5% in sodium chloride 0.2, 0.45 & 0.9% ;

D5 (10) W：Dextrose 5 (10) % in water;

R：Ringer's injection;

RL：Ringer's injection, lactated;

NaCl 0.45 & 0.9%：Sodium chloride 0.45 & 0.9%.

參考資料：臺中榮民總醫院嘉義分院藥劑科

chrome-extension://efaidnbmninnibpcapjpcglclefindmkaj/https://www.vhcy.gov.tw/UploadFiles/WebFiles/WebPagesFiles/Files/fb4f5851-139e-49fa-8780-e1a19faa44b6/%E7%97%85%E6%88%BF%E5%B8%B8%E7%94%A8%E9%87%9D%E5%8A%91%E5%8F%AF%E4%BD%BF%E7%94%A8%E4%B9%8B%E7%A8%80%E9%87%8B%E6%B6%B2%E8%88%87%E9%81%BF%E5%85%8D%E6%B7%BB%E5%8A%A0%E4%B9%8B%E8%97%A5%E7%89%A9%E6%95%B4%E7%90%86%E8%A1%A8.pdf